



Seating - on a higher level



ISRI® 6830KM/855 Air Seat for Construction and Mining Vehicles

Description

Experience the safety and comfort of the ISRI 6830KM/855.

The air suspension with built-in compressor, high backrest, dual stage air lumbar support and anatomically shaped cushion and backrest foams are just some of the standard features in the ISRI 6830KM/855.

Technical Data

- Air suspension with a weight range from 50 to 150kg.
- Built-in 24 volt compressor.
- Dual stage air lumbar support.
- Adjustable vertical shock absorber.
- Horizontal adjustment of 230mm.
- Cushion tilt adjustment.
- Cushion length adjustment.
- Standard backrest.
- Backrest adjustment.
- Available in left hand controls only.
- Two seat belt fixing points.
- Trimmed in breathable charcoal cloth.

Accessories

- Mounting boxes
- Lap seat belt 2"
- Lap seat belt 2" (with contact optional)
- Lap seat belt 3"
- Armrests.
- Hardware.

Standards

- Complies with ISO 6683 - Seat Belts and Seat Belt Anchorages, Performance requirements and tests.
- Complies with ISO 7096 - Laboratory evaluation of operator seat vibration.

Suitable Applications

Please contact your ISRI® dealer for further details.



SAFETY WARNING

When proposing to fit seats to mining and construction equipment ISRI strongly recommend that all installations conform to the relevant ISO standards. If you are unsure of the relevant standards specific to an installation you should seek advice from a suitably qualified person.

Failure to ensure that the installation conforms to applicable ISO standards may result in avoidable injuries to the occupants.

Isringhausen Pty Ltd
510 Victoria Street Wetherill Park NSW 2164
Ph: 02 9756 6199 Fax: 02 9756 6052
E-mail: isri@isri.com.au Internet: www.isri.com.au